

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	25	interrupt with signal with schedul\$3 same thread	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:34
S2	0	("2004/0162971").URPN.	USPAT	OR	ON	2006/07/18 08:19
S3	966	iterat\$3 same web	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:35
S4	288	iterat\$3 same web adj page	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:35
S5	99	iterat\$3 same web adj page same (link url)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:36
S6	39	(iterate iteration interating) same web adj page same (link url)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:42
S7	2	"20050060707"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:44
S8	5	java near iterator	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 17:06
S9	72	iterator same instantiat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:48
S10	34	iterator with instantiat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:56
S11	4	(iterate iterator) with file with message	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:58

EAST Search History

S12	1	(iterate iterator) same file same message adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:58
S13	3	(iterate iterator) same message adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:59
S14	1	(iterate iterator) with file same message same format	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 16:59
S15	29	(iterate iterator loop travers\$3) with file same message same format	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 17:02
S16	66	(iterate iterator loop travers\$3) same message same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 17:02
S17	5	java near iterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 17:07
S18	10	java near2 iterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/18 17:07
S19	92	iterat\$3 same file with message	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:36
S20	11	iterat\$3 same file with message same length	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:39
S21	51	(iterat\$3 loop travers\$3) same file with message same length	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:40
S22	40	S21 not S20	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:43

EAST Search History

S23	3491	iterat\$3 with (collection file database)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:43
S24	51	iterat\$3 with (collection file database) same java	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:49
S25	164	iterat\$3 same message with (format conversion convert\$3 translat\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:52
S26	5	iterat\$3 same message with (format conversion convert\$3 translat\$3 transform\$3) with file	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:53
S27	0	(iterat\$3 loop travers\$3) and message with (format conversion convert\$3 translat\$3 transform\$3) with file with header with delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:54
S28	0	message with (format conversion convert\$3 translat\$3 transform\$3) with file with header with delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:54
S29	13	message same (format conversion convert\$3 translat\$3 transform\$3) same file same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:56
S30	67	message with (format conversion convert\$3 translat\$3 transform\$3) same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:09
S31	67	message with (format c13 not 12onversion convert\$3 translat\$3 transform\$3) same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 09:58
S32	63	S30 not S29	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:00
S33	45	message adj iterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:02

EAST Search History

S34	0	S33 and (format conversion convert\$3 translat\$3 transform\$3) same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:02
S35	259	message near2 iterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:02
S36	0	S35 and (format conversion convert\$3 translat\$3 transform\$3) same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:02
S37	2	S35 and (format conversion convert\$3 translat\$3 transform\$3) same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:03
S38	17	S35 and (format conversion convert\$3 translat\$3 transform\$3) same header	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:03
S39	72	message with (format conversion convert\$3 translat\$3 transform\$3 pars\$3) same header same delimiter	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:09
S40	0	message with (format conversion convert\$3 translat\$3 transform\$3 pars\$3) same header same delimiter same (iterat\$3 travers\$3 loop\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:10
S41	63	message with (format conversion convert\$3 translat\$3 transform\$3 pars\$3) same header same delimiter and (iterat\$3 travers\$3 loop\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:13
S42	0	S41 not S39	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:13
S43	1	("2003/0126153").URPN.	USPAT	OR	ON	2006/07/19 10:13
S44	10	java near2 iterat\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 10:13
S45	0	("7058620").URPN.	USPAT	OR	ON	2006/07/19 10:19
S46	9	("5339419" "5379419" "5787412" "5870719" "5991754" "6125359" "6199063" "6275852" "6430556").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 10:19
S47	2	("6820081").URPN.	USPAT	OR	ON	2006/07/19 10:40

EAST Search History

S48	20	("20020065912" "20020143710" "20020144154" "20020184193" "20020184217" "20030074552" "5050212" "5477451" "5699500" "5799276" "5867799" "5915024" "6026397" "6137911" "6148102" "6240409" "6345243" "6453327" "6584564" "6598054").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/19 10:40
S49	2	"20050060707"	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 11:09
S50	9	iterat\$3 with message adj object	US-PGPUB; USPAT; USOCR; EPO; DERWENT ; IBM_TDB	OR	ON	2006/07/19 11:21
S51	3	("5519845").URPN.	USPAT	OR	ON	2006/07/19 11:39
S52	2	((("7036088") or ("7031520"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/07/19 13:02
S53	952	(719/315).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/19 13:03
S54	12806	(707/1-3).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/19 13:03
S55	1416	(707/103r).CCLS.	US-PGPUB; USPAT	OR	OFF	2006/07/19 13:03

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

site:www.usenix.org java iterator message

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 11 from [www.usenix.org](#) for java iterator message. (0.36 seconds)[\[PDF\] 05.conference reports](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

ing the **messages** based on the contents. they carry. The content-based.
publish/subscribe service described in. this paper utilizes **Java's** reflection mech- ...
[www.usenix.org/events/coots01/confreports.pdf](#) - [Similar pages](#)

[USENIX 2003 Annual Technical Conference, FREENIX Track — Paper](#)

DBIterator: implements a C++ STL input **Iterator** [24] that iterates over the ... Besides
C++ servlet engines, there are numerous such engines for **Java** and ...

[www.usenix.org/events/usenix03/tech/freenix03/full_papers/gschwind/gschwind_html/index.html](#) - 70k -
[Cached](#) - [Similar pages](#)

[COOTS 2001 Paper](#)

AudioDevice device; AudioContainer a("MyMailbox"); AudioContainer::Iterator i =
a.begin(); ... get user input for **message** number ... i += num; device << *i; ...
[www.usenix.org/events/coots01/full_papers/hess/hess_html/index.html](#) - 70k -
[Cached](#) - [Similar pages](#)

[NSDI '05 — Technical Paper](#)

There are two consistency rules: (1) Any delete_route **message** must correspond to
a ... The XORP library includes route table **Iterator** data structures that ...

[www.usenix.org/events/nsdi05/tech/full_papers/handley/handley_html/index.html](#) -
90k - [Cached](#) - [Similar pages](#)

[\[PDF\] Proceedings of the FREENIX Track: 2003 USENIX Annual Technical ...](#)

File Format: PDF/Adobe Acrobat

advantages over those using **Java** or scripting languages:. • It supports the integration
of ... DBRow is created when the **Iterator** is accessed. Its in- ...

[www.usenix.org/events/usenix03/tech/freenix03/full_papers/gschwind/gschwind.pdf](#) -
[Similar pages](#)

[USENIX :login: - USENIX Conference on Internet Technologies and ...](#)

Front end servers receive inbound SMTP **messages** from the Internet. ... (through a
"context," which operates like an **Iterator**: along with every response, ...

[www.usenix.org/publications/library/proceedings/usits97/summaries.html](#) -
[Similar pages](#)

[\[PDF\] Designing Extensible IP Router Software](#)

File Format: PDF/Adobe Acrobat

alistic alternatives would have been C and **Java**. When we. started implementing
XORP, the choice ... XORP library includes route table **Iterator** data struc- ...

[www.usenix.org/publications/library/proceedings/nsdi05/tech/full_papers/handley/handley.pdf](#) - [Similar pages](#)

[\[PS\] CSE -- A C++ Servlet Environment for High-Performance Web ...](#)File Format: Adobe PostScript - [View as HTML](#)

Similar to the servlet engines implemented in **Java**, the architecture of our ...
DBIterator implements a C++ STL input **Iterator** [24] that iterates over the ...

[www.usenix.org/events/usenix03/tech/freenix03/full_papers/gschwind/gschwind.ps](#) -
[Similar pages](#)

[\[PDF\] An Execution Layer for Aspect-Oriented Programming Languages](#)

File Format: PDF/Adobe Acrobat

terfaces for all of the **Java** language's meta-model entities. ... cally an **Iterator** on an
array of bytes. For BATified meth- ...

[www.usenix.org/publications/library/proceedings/vee05/full_papers/p142-haupt.pdf](#) -
[Similar pages](#)

[USENIX :login: - Summaries](#)

GTrace is written in **Java** for system portability and wide platform use. ... of the
passwd **Iterator**, Prolog would try to make it true, by changing, say, ...

[www.usenix.org/events/lisa99/summaries/](#) - 109k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.
If you like, you can repeat the search with the omitted results included.*

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Maps](#) [more »](#)

site:citeseer.ist.psu.edu java iterator message

[Advanced Search](#)
[Preferences](#)**Web**

Results 1 - 32 of about 33 from citeseer.ist.psu.edu for java iterator message. (0.36 seconds)

Citations: Department of Computer Science - Lab, manual, CUCS ...

As it is the rst Actor model implementation in **Java**, Actor Foundry has a signi cant ...
 operations (lookup and membership test) and an **iterator** (visit all ...
citeseer.ist.psu.edu/context/54096/0 - 21k - [Cached](#) - [Similar pages](#)

Citations: Power Programming with RPC - Bloomer (ResearchIndex)

3 Interactive **Java** client CGI server applications on the WWW The main characteristic of
 a ... Buffered Collection and Buffered **Iterator** Patterns August 31, ...
citeseer.ist.psu.edu/context/69060/0 - 48k - [Cached](#) - [Similar pages](#)

Citations: A Model of Concurrent Computation in Distributed ...

Byte code Transformations for Distributed Threads in **Java** - Truyen, ... Procedure or
Iterator) CLU contains both built in and user defined types. ...
citeseer.ist.psu.edu/context/53308/0 - 33k - [Cached](#) - [Similar pages](#)

Citations: Programming Language: Third Edition - Stroustrup ...

A Runtime Assertion Checker for the **Java** Modeling Language - Cheon (2003) (22 ... that
 argument being the type obtained by de referencing the **iterator**. ...
citeseer.ist.psu.edu/context/367010/0 - 28k - [Cached](#) - [Similar pages](#)

Citations: Second edition - Flanagan, Nutshell (ResearchIndex)

The translator should print out error **messages** if the **Java** program is not within the ...
 Finally, a method reset provides a way to reset the **iterator** to the ...
citeseer.ist.psu.edu/context/85281/0 - 40k - [Cached](#) - [Similar pages](#)

Citations: International Computer Science Institute - Stoutamire ...

... Semantics for Parallel Loops 16 3.2 Exception Propagation **Java**, ... because there is no
 way to write an **iterator** which changes the semantics of the ...
citeseer.ist.psu.edu/context/4532/0 - 36k - [Cached](#) - [Similar pages](#)

Citations: Technical Report CMU-CS - Blelloch, Chatterjee ...

Our transformation system compiles Proteus **iterator** constructs into C with ... 3 Compiling
 Nesl into **Java** We considered three different ways to improve Nesl ...
citeseer.ist.psu.edu/context/47356/0 - 38k - [Cached](#) - [Similar pages](#)

Citations: Object-Oriented Programming in the BETA Programming ...

Extending **Java** to dynamic object behaviors - Bettini, Capecchi,nested object **iterator**
 is an internal object that explicitly o ers extra public ...
citeseer.ist.psu.edu/context/6127/0 - 34k - [Cached](#) - [Similar pages](#)

Citations: Network objects - Birrell, Nelson, andEdwardWobber ...

6 Consistent **Java** RMI Semantics **Java** supports remote method invocation (RMI) 43] ...
 The buffered collection and buffered **iterator** patterns allow efficient ...
citeseer.ist.psu.edu/context/190047/14575 - 70k - [Cached](#) - [Similar pages](#)

Citations: - Bullis, Wilpolt, to, In, pages, Notices (ResearchIndex)

The keyword yields is used instead of returns in the case of an **iterator**. ... such as **Java** [2]
 C [14] and Owl Trellis [11], provide a special set of access ...
citeseer.ist.psu.edu/context/1762229/0 - 26k - [Cached](#) - [Similar pages](#)

Citations: Type Object - Johnson, Woolf (ResearchIndex)

As a solution to these and similar problems a **MESSAGE REDIRECTOR** will be used to ...
 of current standards, like CORBA, COM, or **Java** Beans are discussed. ...

citeseer.ist.psu.edu/context/610939/0 - 16k - [Cached](#) - [Similar pages](#)

Citations: Engineering a Programming Language -- the Type and ...

... **iterator** abstraction [3] proper separation of typing and code inclusion, ... **Java** s interfaces [Sun 95] or the older protocols in Objective C [NextStep ...
citeseer.ist.psu.edu/context/15407/0 - 32k - [Cached](#) - [Similar pages](#)

A Critical Analysis of JDO in the Context of J2EE (ResearchIndex)

The **Java** Data Objects JDO industry standard appears to provide a ... Handling Huge Data Sets in J2EE/EJB 2.1 with a - Page-By-Page **Iterator** Pattern (Correct ...
citeseer.ist.psu.edu/594065.html - 20k - [Cached](#) - [Similar pages](#)

Citations: Sacrificing serializability to attain high availability ...

Design and Implementation of the MNCRS **Java** Framework for Mobile. ... returning an **iterator** over all sync IDs corresponding to objects in the sync store. ...
citeseer.ist.psu.edu/context/50082/0 - 42k - [Cached](#) - [Similar pages](#)

Citations: Distributed Symbolic Computation with DTS - Bubeck ...

Java Based Modeling And Simulation Of Digital Systems On.. ... parallelize a program compared with methods which are more low level, like **message** passing. ...
citeseer.ist.psu.edu/context/212842/40221 - 19k - [Cached](#) - [Similar pages](#)

Citations: International Computer Science Institute - Murer ...

Complex Numbers for **Java** - Philippsen, Günthner (1999) (Correct) ... and a general **iterator** feature [58] that is particularly important for
citeseer.ist.psu.edu/context/423986/0 - 41k - [Cached](#) - [Similar pages](#)

Citations: Progress Report on a System for General-Purpose ...

A **Java** Framework for Massively Distributed Symbolic Computing - Bernardin ... a data parallel paradigm using Aldor s generator for parallel **iterator** (map)
citeseer.ist.psu.edu/context/185404/0 - 33k - [Cached](#) - [Similar pages](#)

Citations: Distributed Object Computing with CORBA - Vinoski ...

A model for **Java**/CORBA OODBMS distributed architectures - Luigi ... contains design patterns (such as Strategy and **Iterator** [1] that allow algorithms and or ...
citeseer.ist.psu.edu/context/32312/73107 - 30k - [Cached](#) - [Similar pages](#)

Citations: MIT Laboratory for Computer Science - Liskov, Curtis ...

To achieve the same result in **Java**, we would have to introduce an artificial ... for example CLU [26] and Sather [34] offer an **iterator** construct to traverse ...
citeseer.ist.psu.edu/context/471932/0 - 20k - [Cached](#) - [Similar pages](#)

Citations: Testing object-oriented software: a survey - Binder ...

Class Analysis for Testing of Polymorphism in **Java** Software - Rountev, ... The oracle provides 21 member functions and two simple **iterator** classes for ...
citeseer.ist.psu.edu/context/27868/0 - 40k - [Cached](#) - [Similar pages](#)

Citations: Relationships between design patterns - Zimmer ...

Object-Oriented Analysis and Design of the **Message**.. - Skjellum, Wooley. ... Design Pattern Implementation in **Java** and AspectJ - Jan Hannemann Main (2002) ...
citeseer.ist.psu.edu/context/275871/53928 - 31k - [Cached](#) - [Similar pages](#)

Citations: Algorithm 656: An extended set of basic linear algebra ...

A 2 D **iterator** has the property that its reference type is a container. ... An Evaluation of **Java** for Numerical Computing - Blount, Chatterjee (1998) (19 ...
citeseer.ist.psu.edu/context/216427/0 - 37k - [Cached](#) - [Similar pages](#)

Citations: ACM Transactions on Computer Systems - Corbett ...

conducted on le systems for **message** passing multiprocessors, ... It is very easy for the user to change parameters directly in the **Java** window to get other ...
citeseer.ist.psu.edu/context/135545/0 - 32k - [Cached](#) - [Similar pages](#)

Concurrency [CiteSeer; NEC Research Institute; Steve Lawrence ...

For instance, the **Iterator** pattern [7] allows elements in a collection to be accessed ... 27
 Compiling Standard ML to **Java** Bytecodes - Benton, Kennedy, ...
 citeseer.ist.psu.edu/Databases/Concurrency/ - 125k - [Cached](#) - [Similar pages](#)

Citations: Wiley Publ - of (ResearchIndex)

Formalizing Design Patterns: A Case Study of the **Iterator**. ... a double vertical line taken
 over from object oriented **Message** Trace Diagrams (OMSC) [3, ...
 citeseer.ist.psu.edu/context/46398/0 - 33k - [Cached](#) - [Similar pages](#)

Citations: Programming Language Concepts - Ghezzi, Jazayeri ...

In languages supporting exception handling like **Java** and C , when an ... The caller simply
 appends the **message** corresponding to the called method to the ...
 citeseer.ist.psu.edu/context/292655/0 - 35k - [Cached](#) - [Similar pages](#)

Citations: Design patterns: elements of objectoriented software ...

Static And Dynamic Reverse Engineering Techniques for **Java**. ... An important special
 case of robust behavior is a Null **iterator** (also see **Iterator** [13]) ...
 citeseer.ist.psu.edu/context/128632/0 - 39k - [Cached](#) - [Similar pages](#)

Citations: Transactions on Programming Languages and Systems ...

To achieve the same result in **Java**, we would have to introduce an artificial ... o#er an
iterator construct to traverse encapsulated data structures in a ...
 citeseer.ist.psu.edu/context/127858/0 - 12k - [Cached](#) - [Similar pages](#)

Concurrency [CiteSeer; NEC Research Institute; Steve Lawrence ...

154.2 Compiling Standard ML to **Java** Bytecodes - Benton, Kennedy, ... For instance, the
Iterator pattern [7] allows elements in a collection to be accessed ...
 citeseer.ist.psu.edu/Databases/ Concurrency/expected.html - 124k - [Cached](#) - [Similar pages](#)

Citations: A two-tiered approach to specifying programs - Wing ...

JML: a **Java** Modeling Language - Leavens, Baker, Ruby (1998) (8 citations) ... an **iterator**,
 that is not easy to specify using our generic interface language. ...
 citeseer.ist.psu.edu/context/54063/0 - 39k - [Cached](#) - [Similar pages](#)

Citations: Subcontract: A Flexible Base for Distributed ...

For instance, in Choices [102, 37] the kernel contains a **Java** interpreter ... Buffered
 Collection and Buffered **Iterator** Patterns - Brooks (1996) (Correct) ...
 citeseer.ist.psu.edu/context/27590/63455 - 64k - [Cached](#) - [Similar pages](#)


Design Conformance Management Of Software Systems: An Architecture ...

Iterator first next isDone current traverse creates object reference ... 245 The **Java**
 language environment: A white paper (context) - Gosling, ...
 citeseer.ist.psu.edu/sefika96design.html - 46k - [Cached](#) - [Similar pages](#)

*In order to show you the most relevant results, we have omitted some entries very similar to the 32
 already displayed.*

If you like, you can repeat the search with the omitted results included.

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



site:citeseer.ist.psu.edu java iterator

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google